# MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME XLV, 1953

Consisting of V + 994 Pages, Including Figures

# TABLE OF CONTENTS

### No. 1. JANUARY-FEBRUARY

South American species of Puccinia on Salvia, John W. Baxter	7 20 40 46 75 88 101 115 136 143
Notes and brief articles	
Reviews	17/
No. 2. March-April	
Candicidin, a new antifungal antibiotic, Hubert Lechevalier, Robert F. Acker, Charles T. Corke, Conrad M. Haenseler and Selman A. Waksman	55
	72
Zonation in the prolineless strain of Neurospora, William H. Brandt., P	94
Size in relation to the rate in the slime mold Dictyostelium discoideum,	9
Detection of Histoplasma capsulatum and other fungus spores in the	35
environment by means of the membrane filter, Morris A. Gordon and Horace B. Cupp, Jr	41
Evidence for synonymy of Torula bergeri and Phialophora jeanselmei, A. Trejos	53
AND ROBERICK SPRAGUE	60
Micromyces and Synchytrium, JOHN S. KARLING	
	88

### TABLE OF CONTENTS

The new rules of typification as they affect Sarcoscypha and Velutaria	
RICHARD P. KORF	296
Two types of spore germination in Sarcoscypha coccinea (Scop. ex Fr.)  Lambotte, Martin A. Rosinski	
Notes and brief articles.	
Reviews.	
No. 3. MAY-JUNE	
Screening tests designed to discover antibiotics suitable for plant dis-	
ease control, G. J. Stessel, Curt Leben and G. W. Keitt	
The influence of nitrogenous compounds on the growth of Helmintho-	
sporium gramineum in culture, RICHARD H. CONVERSE	335
Observations on Streptomyces griscus. V. Synthetic media for Vitamin	
B <sub>12</sub> production with special reference to Vitamin B <sub>12</sub> precursors,	
EUGENE L. DULANEY AND PATRIC L. WILLIAMS	
The effect of environmental temperature on the course of systemic moniliasis in mice, George H. Scherr.	
Notes on the genus Camptomeris, Fungi Imperfecti, Ernst A. Bessey	
Studies in the genus Pleospora. V, Lewis E. Wehmeyer	391
The connection between Botryotinia fuckeliana and Botrytis cinerea,	
J. WALTON GROVES AND CONSTANCE A. LOVELAND	
A new genus of the Mucorales, S. B. SAKSENA	
Studies of tropical rusts. I. Prospodium transformans, FLOVD S. SHUT-	
TLEWORTH	
A unisexual male culture of Chalara quercina, H. L. BARNETT	450
Additional observations on the chromosomal structure of the vegetative	450
nucleus of Blastomyces dermatitidis, Edward D. Delamater	458
	461
Samuel Chester Damon II, Walter H. Snell.	
Notes and brief articles	474
Reviews	
No. 4. July-August	
Observations on Streptomyces griseus. VI, Eugene L. Dulaney	481
The effects of ionizing radiations from polonium on the spores of Asper-	
gillus niger, Sigmund Berk	488
The growth and metabolic behavior of Streptomyces venezuelae in liquid	
	507
The utilization of earbon and nitrogen compounds by Ustilago rae,	=1/
FREDERICK T, WOLF	510
various methods, R. H. Haskins and Joan Anatasiou	523
The production and action of a tartrate-decomposing enzyme, RICHARD	
R. Barton	533
An undescribed fungus causing a root rot of red clover and other	
Leguminosae, J. W. Gerdeman	548

Polyozellus multiplex and the family Phylacteriaceae, Rokuya Imazuki 555
On the status of the generic names Pyrenophora and Pleospora, L. E.
Wehmeyer 562
Pucciniostele, a genus of the rust fungi, George B. Cummins and M. J. Thirumalachar
Two common lumber-staining fungi in the western United States, Ross
W. Davidson
On Hyalodothis caricis, William W. Diehl
A new species of Monoblepharella, Frederick K. Sparrow 592
Soil as a storage medium for fungi, Alexander Bakerspigel 596
W. Lawrence White, W. G. H. Sit and E. T. Reese 605
Notes and brief articles
Review
No. 5. September-October
Microassay of antifungal properties of steroid hormones and other com-
pounds, J. E. Tarbet, M. Oura and Thomas H. Sternberg 627
Differences of species of Taphrina in culture. Utilization of nitrogen
compounds, A. J. M1x
The ascosporic stage of Aspergillus citrisporus and related forms.
KENNETH B. RAPER, DOROTHY I. FENNELL AND HOMER D. TRESNER 671
A cleistothecium-like structure found in Hormodendrum pedrosoi, H.
KARRER AND N. F. CONANT
Comparative studies of four Rhizoctonias occurring in Louisiana, Bea-
TRICE EXNER
Development of the carpophore of Boletinus paluster, ARTHUR C. GEN-
TILE AND WALTER H. SNELL
Cytological observations on the zygote of Monoblepharis, F. K. Sparrow 723
The genus Beauveria. Morphological and taxonomical studies of several
species and of two strains isolated from wharf-piling borers, Rhoda
W. Benham and Jose L. Miranda
The Coprinus ephemerus group, Morton Lange and Alexander H.
SMITH
Bitancourtia cassythae on Cassythae filiformis and proposed nomen-
clatural changes among other Myriangiales, M. J. Theremalachar
AND ANNA E. JENKINS 781
Notes and brief articles
Reviews
No. 6. November-December
Histoplasma duboisii and African histoplasmosis, R. VANBREUSEGHEM. 803
Further studies on the fruiting of Physarum polycephalum, William D.
Gray 817
The utilization of nucleic acid derivatives by Neurospora, FREDERICK
T. Wolf 825
A Fusidium disease of Xylaria in Wisconsin, M. P. BACKUS AND E.
A. STOWELL. 836

## TABLE OF CONTENTS

P. V. C. C.
Brancato and N. S. Golding
Four years of mycological work in southern South America, Rolf.
SINGER 86.
New species of Galerina from North America, ALEXANDER H. SMITH 89.
Myxomycetes of Louisiana, Bernard Lowy 920
Botryotrichum and Coccospora, MARY H. Downing 93-
Taxonomic studies in the Hydnaceae with reference to their hyphal sys-
tems, M. A. RAGAB 941
Abortive "perithecial" production by Phialophora verrucosa, LIBERO
AJELIO AND LALIAH RUNYON 947
Humicola grisea, a soil-inhabiting cellulolytic hyphomycete, W. Law-
RENCE WHITE AND MARY H. DOWNING
A new species of Hysterographium, J. G. Brown 964
The Curtis Collection at Brown University, Walter H. Snell and
Esther A. Dick
Notes and brief articles971
Index to Volume XLV 980

#### INDEX TO VOLUME XLV

INDEX TO AUTHORS AND TITLES

Acker, Robert F. C e Lechevalier, Acker, Corke, Haenseler and Waksman 155

Ajello, Libero and Laliah Runyon. Abortive "perithecial" production by Phialophora verrucosa 947

Anastasiou, Joan. See Haskins and Anastasiou 523

Backus, M. P. and G. S. Bryan. Penicillium within ovules of Zamia 617
 and E. A. Stowell. A Fusidium disease of Xylaria in Wisconsin 836

Bakerspiegel, Alexander. Soil as a storage medium for fungi 596

Barnett, H. L. A unisexual male culture of Chalara quercina 450

Barton, Richard R. The production and action of a tartrate-decomposing enzyme 533

Baxter, John W. South American species of Puccinia on Salvia 115

Benham, Rhoda W. and Jose L. Miranda. The genus *Beauceria*. Morphological and taxonomical studies of several species and of two strains isolated from wharf-piling borers 727

Berk, Sigmund. The effects of ionizing radiations from polonium on the spores of Aspergillus niger 488

Bessey, Ernst A. Notes on the genus Camptomeris, Fungi Imperfecti 364 Bisset, K. A. The cytology of Caryophanon latum 790

Bohonos, N. See Hesseltine, Whitehill, Pidacks, Ten Hagen, Bohonos, Hutchings and Williams 7

Bonner, John Tyler, Paul G. Koontz, Jr. and David Paton. Size in relation to the rate in the slime mold Dictyostelium discoideum 235

**Brancato, F. P. and N. S. Golding.** The diameter of the mold colony as a reliable measure of growth 848

Brandt, William H. Zonation in the prolineless strain of Neurospora 194

Brock, Thomas J. Nutrition of Morchella 145

Brodie, Harold J. Rene Vandendries. 1874-1952 139

Brown, J. G. A new species of Hysterographium 964

Bryan, G. S. See Backus and Bryan 617

Bulat, Thomas J. Cultural studies of Ducrymyces Ellisii 40

—. See Hanna and Bulat 143

Carvajal, Fernando. Phage problems in the streptomycin fermentation 209 Conant, N. F. See Karrer and Conant 693

Converse, Richard H. The influence of nitrogenous compounds on the growth of Helminthosporium gramineum in culture 335

Cook, Melville T. Species of Synchytrium in Louisiana. VIII. New species 101

Cordon, Theone C. See Weaver, Cordon and John 307

Corke, Charles T. See Lechevalier, Acker, Corke, Haenseler and Waksman 155 Cummins, George B., and M. J. Thirumalachar. Pucciniostele, a genus of the rust fungi 572

Cupp, Horace B., Jr. See Gordon and Cupp 241

Davidson, Ross W. Two common lumber-staining fungi in the western United States 579

— and Frances E. Lombard. Large-brown-spored house-rot fungi in the United States 88

**DeLamater, Edward D.** Additional observations on the chromosomal structure of the vegetative nucleus of *Blastomyces dermatitidis* 458

Diehl, William W. On Hyalodothis caricis 587

Downing, Mary H. Botryotrichum and Coccospora 934

- See White and Downing 951

Dulaney, Eugene L. Observations on Streptomyces griseus. VI 481

and Patric L. Williams. Observations on Streptomyces grisens. V. Synthetic media for Vitamin B<sub>12</sub> production with special reference to Vitamin B<sub>12</sub> precursors 345

Espenshade, Marlin A. A technique of mounting fungal colonies for museum specimens 309

Exner, Beatrice. Comparative studies of four Rhizoctonias occurring in Louisiana 698

Fennell, Dorothy I. See Raper, Fennell and Tresner 671

Gentile, Arthur C. and Walter H. Snell. Development of the carpophore of Boletinus paluster 720

Gerdeman, J. W. An undescribed fungus causing a root rot of red clover and other Leguminosae 548

Gilman, Joseph C. The pure culture in taxonomy 1

Golding, N. S. See Brancato and Golding 848

Gordon, Morris A. and Horace B. Cupp, Jr. Detection of Histoplasma capsulatum and other fungus spores in the environment by means of the membrane filter 241

Gottlieb, David and Marvin Legator. The growth and metabolic behavior of Streptomyces venezuelae in liquid culture 507

Gould, Bernard S. See Johnson and Gould 172

Gray, William D. Further studies on the fruiting of Physarum polycepha-

Groves, J. Walton and Constance A. Loveland. The connection between Botryotinia fuckcliana and Botrytis cinerca 415

Hacskaylo, Edward. Pure culture synthesis of pine mycorrhizae in Terra-Lite 971

Haenseler, Conrad M. See Lechevalier, Acker, Corke, Haenseler and Waksman 155

Hanna, Calvin and Thomas J. Bulat. Pigment study of Dacrymyces Ellisii 143

Haskins, R. H. and Joan Anastasiou. Comparisons of the survival of Aspergillus niger spores lyophilized by various methods 523

Herrick, J. Arthur. An unusually large Fomes 623

Hesseltine, C. W., A. R. Whitehill, C. Pidacks, Margaret Ten Hagen, N. Bohonos, B. L. Hutchings and J. H. Williams. Coprogen, a new growth factor present in dung, required by *Pilobolus* species 7 Hunt, John. The identity of Coriolopsis crocatiformis 616

Hutchings, B. L. See Hesseltine, Whitehill, Pidacks, Ten Hagen, Bohonos, Hutchings and Williams 7

Imazuki, Rokuya. Polyozellus multiplex and the family Phylacteriaceae 555

Jenkins, Anna E. See Thirumalachar and Jenkins 781

John, Harry J. See Weaver, Cordon and John 307

Johnson, George Thomas and Bernard S. Gould. Pigment production in certain of the Aspergillus glaucus group 172

Karling, John S. Micromyces and Synchytrium 276

- Synchytrium urticae 613

--- Synchytrium chamaedryoidis 976

Karrer, H. and N. F. Conant. A cleistothecium-like structure found in Hormodendrum pedrosoi 693

Keitt, G. W. See Stessel, Leben and Keitt 325

Koontz, Paul G., Jr. See Tyler, Koontz and Bonner 235

Korf, Richard P. The new rules of typification as they affect Sarcoscypha and Vehitaria 296

- A new name for Velutaria rufo-olivacea 475

Lange, Morton and Alexander H. Smith. The Coprinus ephemerus group 747

Leben, Curt. See Stessel, Leben and Keitt 325

Lechevalier, Hubert, Robert F. Acker, Charles T. Corke, Conrad M. Haenseler and Selman A. Waksman. Candicidin, a new antifungal antibiotic 155

Legator, Marvin. See Gottlieb and Legator 507

Leppik, E. E. Some viewpoints on the phylogeny of rust fungi 46

Lingappa, B. T. Some new species of Synchytrium from Banaras 288

Lombard, Frances E. See Davidson and Lombard 88

Loveland, Constance A. See Groves and Loveland 415

Lowy, Bernard. Myxomycetes of Louisiana 926

Miranda, Jose L. See Benham and Miranda 727

Mix, A. J. Differences of species of Taphrina in culture 649

Narasimhan, M. J. See Thirumalachar and Narasimhan 461

Oura, M. See Tarbet, Oura and Sternberg 627

Pidacks, C. See Hesseltine, Whitehill, Pidacks, Ten Hagen, Bohonos, Hutchings and Williams 7

Park, Jai Young and Roderick Sprague. Studies on some Schenophora species on Gramineae 260

Parmelee, J. A. See Savile and Parmelee 788

Paton, David. See Bonner, Koontz and Paton 235

Ragab, M. A. Taxonomic studies in the Hydnaceae with reference to their hyphal systems 941

Raper, Kenneth B., Dorothy I. Fennell and Homer D. Tresner. The ascosporic stage of Aspergillus citrisporus and related forms 671

Reese, E. T. See Siu and Reese 605

Rogers, Donald P. Disposition of nomina generica conservanda proposita for Fungi 312, 476

Rosinski, Martin A. Two types of spore germination in Sarcoscypha coccinea (Scop. ex Fr.) 302

Runyon, Laliah. See Ajello and Runyon 947

Saksena, S. B. A new genus of the Mucorales 426

Savile, B. D. O. Short-season adaptations in the rust fungi 75

- and J. A. Parmelee. Systemic infection in Cintractia junci 788

Scherr, George H. The effect of environmental temperature on the course of systemic moniliasis in mice 359

Seaver, Fred J. Gertrude Simmons Burlingham. 1872-1952 136—. Concepts and misconcepts in Tympanis 619

Suttleworth, Floyd S. Studies of tropical rusts. 1. Prospodium transformans 437

Singer, Ro'f. Four years of mycological work in southern South America 865

Siu, W. G. H. and E. T. Reese. W. Lawrence White 605

Smith, Alexander H. New species of Galerina from North America 892
—. See Lange and Smith 747

Snell, Walter H. Samuel Chester Damon II 469

- See Gentile and Snell 720

Sparrow, Frederick K. A new species of Monoblepharella 592
—. Cytological observations on the zygote of Monoblepharis 723

Sprague, Roderick. See Park and Sprague 260

Sternberg, Thomas H. See Tarbet, Oura and Sternberg 627

Stessel, G. J., Curt Leben and G. W. Keitt. Screening tests designed to discover antibiotics suitable for plant disease control 325

Stowell, E. A. See Backus and Stowell 836

Tarbet, J. E., M. Oura and Thomas H. Sternberg. Microassay of antifungal properties of steroid hormones and other compounds 627

Taschdjian, Claire L. A simply prepared identification medium for Candida albicans 474

Ten Hagen, Margaret. See Hesseltine, Whitehill, Pidacks, Ten Hagen, Bohonos, Hutchings and Williams 7

Thirumalacher, M. J. and Anna E. Jenkins. Bitancourtia cassythae on Cassythae filiformis and proposed nomenclatural changes among other Myriangiales 781

and M. J. Narasimhan. Notes on some mycological methods 461
 See Cummins and Thirumalachar 572

Trejos, A. Evidence for synonymy of Torula bergeri and Phialophora jeanselmei 253

Tresner, Homer D. See Raper, Fennell and Tresner 671

Troyer, James R. A relation between cell multiplication and alcohol tolerance in yeasts 20

Vanbreuseghem, R. Histoplasma duboisii and African histoplasmosis 803
 Waksman, Selman A. See Lechevalier, Acker, Corke, Haenseler and Waksman 155

Weaver, Elmer A., Theone C. Cordon and Harry J. John. Closure for culture bottle 307

Wehmeyer, Lewis E. Studies in the genus Pleospora. V 391

White, W. Lawrence and Mary H. Downing. Humicola grisca, a soil-inhabiting cellulolytic hyphomycete 951

Whitehill, A. R. See Hesseltine, Whitehill, Pidacks, Ten Hagen, Bohonos, Hutchings and Williams 7

Williams, J. H. See Hesseltine, Whitehill, Pidacks, Ten Hagen, Bohonos, Hutchings and Williams 7

Williams, Patric L. See Dulaney and Williams 345

Wills, W. H. A large specimen of Polyporus Berkeleyi 144

Wolf, Frederick T. The utilization of carbon and nitrogen compounds by Ustilago zeac 516

#### INDEX TO TAXA

New taxa and the pages where they appear are in **bold face type**. An attempt has been made to correct mistakes in the spelling of scientific names where such occur in the text.

Apiosporium 320

Aposphaeria 320

Achytonium 320 Acrostalagmus 165 Acrotheca 320, 693 Acrothecium 320 Actinomyces bovis 221 Acurtis 321 Accidium 313 Aedycia 318, 320; rubra 318 Aerobacter aerogenes 165 Aethalium septicum 926 Agaricus 313, 869, 885, 889; applicatus 316; bisporus 889; blattarius 318; conchatus 316; equestris 476; flavovirens 476; ostreatus 316; pampeanus 868, 882; papiliona-ceous 319; petaloides 316; rotula 315; stipticus 319; subtilis 763; tener 318; vaginatus 317 Agostaea nigra 786 Agrobacterium tumefaciens 327 Agrocybe aegerita 868, 878, 885; coprophila 868; fimicola 868, 873; retigera 871 Alcaligenes bookeri 16 Aleuria 313 Aleurodiscus 315 Allescheria boydii 596, 947 Allomyces 724 Alnicola 872, 908; devia 868; di plocystis 872 Alternaria 165, 249, 697, 826 Alytosporium 314, 321 Amanita 881, 882, 885; ameghinoi 868, 885; flavivolva 794; muscaria 866; phalloides 866 Amanitopsis 317 Amauroderma brittonii 622 Amphisphaeria 317 Anellaria semiovata 873; sepulchralis Angiospora hanfordii 577

Araneomyces 473 Arcyria cinerea 927; denudata 927; incarnata 927; insignis 927; nu-tans 927; occidentalis 933; ocrstedtii 933; versicolor 933 Armillariella 886; ditopa 888; mellea 881. 885: puiggarii 870, 885; pumila 882 Arrhenia cyphelloides 871; pezizoides 871 Aschersonia 313, 317; crustacea 317; taiense 317 \scochyta 568 Ascomycetella purpurascens 785 Ascospora 321 Aspergillus 596, spergillus 596, 671, 730, 826; chrysospermus 672, 673, 677; citrisporus 671; fischeri 671; flavus 690, 848; flavus-oryzae 672, 683, 688; fumigatus 173, 671, 672, 683, 691; glaucus 172, 671, 672, 682, 683, 691, 825; lutescens 683; nidulans 16, 671, 672, 682, 683, 690, 691; niger 156, 161, 165, 166, 308, 488, 523, 825, 848; novus 173; ornatus 673, 678, 682, 690, 692; oryzae 308; panamensis 690; parasiticus 688; pseudoglaucus 173; tamarii 672, 682, 688, 691; terreus 481, 493; terricola 683; versicolor 533; wentii 683, 690 Asterodon 941, 943, 944 Asterotus 886 Athelia 320 Auricularia 313, 314 Auriscalpium 941, 943, 945

Bacillus megatherium 352; subtilis 165, 333, 334

Badhamia gracilis 932 Balansiopsis 587 Barya 320 Basisporium gallarum 954 Beauveria 727; bassiana 728, 729; brumptii 730; densa 729; effusa 728, 729; globulifera 728, 729 Biatorella 321 Biscogniauxia 320 Bitancourtia 781; cassythae 781. 782 Bjerkandera adusta 881 Blastomyces dermatitidis 458, 597 Bolbitius 766, 867; albiceps 868, 873; fragilis 878 Boletinus paluster 720 Boletopsis 557, 561; leucomelas 561 Boletus edulis 885; loyo 883; variegatus 975 Bondarzewia berkeleyi 881, 884; montana 884; perniciosa 884 Botryobasidium solani 716 Botryotinia 415; fuckeliana 415, 422 Botryotrichum 934; atrogriseum; lachnella 938; piliferum 934 Botrytidiodes 693 Botrytis 165, 496; bassiana 728, 825; cinerea 415; fuckeliana 423; tenella 728 Bovista craniformis 315 Brauniella 886; albida 871 Bryocladium 313 Bullardia 315; inquinans 315 Bullaria impedita 133 Cacumisporium 320 Caeoma pompholygodes 319 Caeomurus 317 Caldesiella 316, 559, 943; ferruginosa 943; italica 316

Callistosporium 886; lutcofuscum 870 Calocera 313 Całocybe cyanea 870 Calodon 320, 556, 557, 559, 560; fer-rugineus 556, 558; graveolens 558 Calonectria 621 Calvatia 315; maxima 622 Calyptospora 49, 63 Camarophyllus 867; lacmus 882; pratensis 866, 867; tehuelches 882 Campanella dendrophera 883 Camptomeris 364, 978; acaciae 385; albizziicola 371, 383; calliandrae 370, 371, 389; desmanthi 364, 371, 379, 380, 382, 388, 389; euphorbiae 388; floridana 365, 370, 371, 377, 389; helleri 388; leucaenae 383 liandrae 364; **martynii** 371, 375, 389; robiniae 385; tephrosiae 365, 384; verruculosa 371, 373, 389 Campylobasidium 316

Candida 317, 627, 650; albicans 156, 158, 161, 164, 165, 166, 170, 359, 474, 597; brumptii 166; krusci 166; neoformans 166; pseudotropicalis 16, 166; pseudotropicalis var. lactosa 652, 665, 666, 669, 670; pulcherrima 653, 665; stellatoides 166; tropicalis 166, 627-646; utilis 653, 665; vulgaris 317 Cantharellula 886; coprophila 870, 876; tarnensis 885 Cantharellus multiplex 555, 560 Capnodium 320 Caripia 320 Carlia 313 Caryophanon latum 790 Catenomyces 434, 435 Cattanea 473 Cenangella 300, 475, 620; aceris 300 Cenangium 299 Ceratiomyxa fruticulosa 926; fruticulosa var. flexulosa 927 Ceratostomella ulmi 156, 161, 165, 166, 170 Cercospora 366, 367, 463; condensata 364; condensata var. desmanthi 382, 385; desmanthi 382, 385, 387, 388; kikuchii 165; olivacea 386 Cercosporidium 366, 368, 387; euphorbiae 387 Chaconia berroana 785 Chactocalathus 883; liliputianus 870 Chaetomium globos m 496, 497 Chalara quercina 450 Cheiromyces 472 Cheirospora 321 Chlorophyllum 883; molybdites 885 Chrysomyxa 49, 59, 63, 82, 577; arctostaphyli 83; empetri 82; ledicola 82; pyrolae 82; weirii 83; woronini 83 Cintractia junci 788 Cladaria 320 Cladoderris 320 Cladosporium 256; herbarum 825 Clathrospora macrospora 569 Claudopus 321 Clavaria 315; fragilis 315 Clavariella 882 Clisosporium 318, 320; lignorum 318 Clitocybe 882; aberrantissima 870; leptoloma 882; melliolens 868; scandens 869, 872; suaveolens 881; subleptoloma 882 Clitocybula 886 Clitopilus 313, 320; argentinus 872;

incrustatus 878; septicoides 881

Coccospora 934; agricola 934, 935,

Clypeothecium 321 Coccidioides immitis 251

961

Coleopuccinia 47 Coleosporium 63, 573, 577 Colletosporium 321

Colletotrichum circinans 326, 329; pisi 329

Collybia 313, 888; collybioides 870, 876; cycadicola 877; dryophila var. oedematopus 878; plectophylla 878; sleumeri 873

Coltricia 320 Comatricha longa 932; lurida 933;

typhoides 932 Coniophora cerebella 89, 99; pu-teana 89, 91, 97

Coniosporium 320

Conjothyrium 318, 320; palmarum

Conocybe 318, 867; lactea 869; macrorhina 871; missionum 871; reticulatorugosa 873

Copelandia 883 Coprinarius 319

Coprims 807; amphithallus 751, 774; angulatus 750, 764; atramentarius 882; auricomus 749; bi-sporus 748, 750, 761; boudierii 764; callinus 751, 770, 773, 776; comatus 882; congregatus 748, 750, 759, 772; curtus 752, 754; curtus f. macrosporus 751; digitalis 751, 779; disseminatus 776; ephemerus 747, 750, 757; ephemerus f. bi-sporus 755; ephemerus f. saturatus 766, 768; eurysporus 751, 773; fallax 750, 765; heptemerus 750, 751; heterosetulosus 750, 758; hexagonosporus 750, 753; hiascens 751, 772, 775; impatiens 751, 779; pellucidus 750, 763; plagioporus 751, 766, 769; plicatilis 776; proximellus 757, 750; sassii 750, 755; sclerocystidiosus 751, 769; silvaticus 754, 777; sociatus 772; stellatus 750, 762; subdisseminatus 751, 777; subimpatiens 751, 772; subpurpureus 751, 766; tardus 754, 755; tergiversans 755

Cordana 320 Cordiceps 313 Cordyceps 313

Coriolopsis crocatiformis 616; melleoflava 617; occidentalis 868; sarcitiformis 617

Coriolus 878; pinsitus 868; occidentalis 878

Corticium 320, 698; microsclerotia 698, 716; sasakii 698, 717; solani 698, 716; vagum 716; vagum subsp. solani 716; vagum var. solani 716 Cortinaria 320

Cortinarius 320, 882, 883, 888, 889, 909, 918, 922; acutus 898

Corynoides 313 Craterella 313, 320

Craterellus 320, 555, 556; multiplex 560

Craterium leucocephalum 932

Crepidopus 316

Crepidotus acanthosyrinus brunswickianus 881, 882; citrinus 870; croceotinctus 871; dorsalis 870; nephrodes 870, 879, 882; palmarum 871; quitensis 870; tigrensis 868; uber 871

Crinipellis eggersii 870; marosphaerigera 870; misionensis 870; subtomentosa 868; ursina 883

Cronartium 63

Cryptococcus 650; albidus 652, 665; diffluens 650, 652, 665; laurentii 652, 665; laurentii var. flavescens 652, 665; luteolus 652, 665; neoformans 166, 363, 652, 665

Cryptosphaeria capillata 565

Cunninghamella 826 Curvularia 249 Cyclomyces 557 Cylindrospora 320 Cymatella 883 Cymatoderma 320 Cynophallus 319 Cyphella 315; digitalis 315 Cystoagaricus 883

Cystopus 313 Cyttaria 313, 881, 882

Cyttarium 313

40, 143 Daldinia 315 Deconia 867 Deflexula 944

Dacrymyces deliquescens 40; ellisii

Dentinum 313, 742, 743, 945 Dermatea 476 Dermatella 620

Dermea 476, 620 Derminus 313

Descolea 881, 882, 883 Diacanthodes philippinensis 870

Diachea leucopodia 932 Diaporthe 165

Dicaeoma farinaceum 134; prosperum 134

Dichaena 320

Dictydium cancellatum 927 Dictyolus 320

Dictyopanus 557, 883; pusillus 878

Dictyoploca plectophylla 877 Dictyosporium 473

Dictyostelium discoideum 235 Didymium iridis 933

Didymothozetia 552 Dinemasporiella 551 Dinemasporium 552 Diplodia 406; viticola 564, 565 Diplophysa 313 Discosia 551, 552 Discosiella 551 Dothidea paradoxa 562 Dothidella 313 Dubitatia 321

Eccilia 321 Elsinoe miconiae 785; purpurascens 785 Empusa 320 Endoconidiophora 320; coerulescens 579, 581, 583, 584, 586; coerulescens f. douglasii 584; virescens 581 Endodesmidium 280, 281, 282 Endophyllum 47; beliotropii 440, 446 Endoptychum 314 Endostigme 314 Endosynchytrium 283 Enslinia 314 Enteridium rozeanum 927 Enterobotryum 321 Entoloma 321 Epicoccum 165 Epidermophyton floccosum 597, 601 Eriocladus 320 Erwinia amylovora 329 Erysibe occulta 319 Escherichia coli 16, 156, 165, 210, 235, 346, 352, 353 Eurotium 671; herbariorum 671

235, 346, 352, 353 **Eucamptomeris** 366, 368, **370**, 978 **Eurotium** 671; herbariorum 671

Eusynchytrium 279, 283 **Exosporioides** 368, **370**, 371

Exosporium 366; leucaenae 364, 368, 371, 382, 383, 389

Exosynchytrium 279, 283

Favolaschia antarctica 883; puiggari 871; pygmaca 870; saccharifera 871; rubra 871 Fayodia 882, 886 Filaspora 319, 320; peritheciaeformis 319

519 Filoboletus 557, 883; gracilis 870, 878 Fistulina antarctica 882

Flammopsis 313 Flammula 313; alnicola var. salicicola 874

Flammulina velutipes 872 Fomes applanatus 622; sagraeana 869

Fomitopsis 878; sagracana 869 Fonsecaea 693 Friesula platensis 868 Fuligo septica 926, 936 Fumago 320 Fusarium 165, 166, 597, 600, 826; oxysporum f. lycopersici 329; oxysporum f. pisi 329 Fusicladium fasciculatum 388; robiniae 365, 385 Fusidium 836; parasiticum 836; parasiticum f. microconidia 845

Galera 314, 893; paradoxa 874 Galerina 887, 892; arenaria 871; **at**kinsoniana 894; badipes 904; camerina 896, 920; camarinoides 895; carbonicola 896; clavata 868, 872; cortinarioides 897, 909; cuspidata 898; farinosipes 899, 911; ferruginea 900; fibrillosa 901; fuscobrunnea 902; humicola 903; hypnorum 915, 916, 917; insignis 904; lacustris 905; laticeps 906; latifolia 904; marginata 915, 918, 923, 924, 925; minor 871; occidentalis 907; odora 909; olympiana 909; pallidispora 911; pruinatipes 900, 909, 912; pruinatipes var. fulvipes 911, 913; riparia 882; rubiginosa 921; rudericola 914; rugisperma 915; sideroides 896, 899, 912; stagnina 917; subdecurrens 916; subfiliformis 917; subochracea 915, 917; tahquamenonensis 908, 919; triscopa 904, 907, 920; umbrinipes 920; unicolor 919; vaccinii 921; venenata 922, vialis 924; vittaeformis 881

Galeropsis 887; allosperma 874, 886

Galerula muricellospora 895 Gausapia 316 Gautiera 318

Gautieria 318; morchellaeformis 318 Geotrichum candidum 848 Glenospora 316; curtisii 316

Gloeosoma vitellinum 882 Gloiocephala 886 Gloiodon 941, 943, 945 Glomerella cinquista 326, 32

Glomerella cingulata 326, 329 Godronia 620 Gomphinaria 320, 693

Gomphora 313 Gomphus 313 Gonapodya 592, 723 Grandinia 943, 945 Granularia 313

Graphium 579, 580, 586 Guepinia 313, 320

Guepiniopsis 313 Guignardia 313 Gymnocybe 313 Gymnopilus 313; chrysopellus 879; peliolepsis 879; spectabilis pampeanus 866

Gymnopus 313

Gymnosporangium 50, 61, 70, 118, 313

Gymnotelium 55

Gyraria 314

Gyrocephalus 318, 320

Gyrodon 872; lividus 872; merulio-ides 872; montanus 872, 873; proximus 873; rompelii 870, 873 Gyromitra 318, 882

Hansenula anomala 21, 25, 37; anomala var. sphaerica 22 Haplosporangium parvum 597

Hebeloma 882; austroamericanum 871, 874

Heimiomyces 883, 886; pruinatipes 870; tenuipes 868, 869, 870, 872, 877, 879

Helminthosporium 165, 366, 367, 568, 697; albizziae 365, 372, 373; albizzicolum 365, 383, 384, 389; gramineum 335; sativum 342; victoriae 326, 329

Helvella esculenta 318; sinuosa 318

Hemisphaeria 315

Hemitrichia abietina 933; leiocarpa 933; serpula 927; stipitata 927; vesparium 927

Hendersonia 316, 320; elegans 316;

paludosa 316 Hericium 313, 943, 945

Heterographa 320

Hexagona 313

Hippoperdon 315; crucibulum 315

Hirneola 319, 320

Histoplasma capsulatum 241, 596, 597, 804, 806, 813, 815, 816; duboisii 803

Hohenbuchelia 316; ohenbuchelia 316; paraguayensis 870; petaloides 878; pycnophylli 873

Hormodendroides 693

Hormodendrum 165, 597, 599, 600; pedrosoi 166, 693

Humicola 935; fuscoatra 951, 954, 955, 961; grisea 951

Hyalodothis caricis 587

Hyalopsora 49, 63, 64; aspidiotus 83 Hydnellum 320, 560, 941, 943, 944, 945; alboniger 944; amicum 944

Hydnochaete 557

Hydnodon 943, 945 Hydnogloca 321

Hydnum 313, 560, 942, 943, 945; albonigrum 944; amicum 944

Hydrocybe 313

Hydropus fuliginarius 868, 870; riograndensis 870

Hygrophoropsis aurantiaca 882

Hygrophorus 883 Hymenella 320

Hymenochaete 313, 320, 557

Hymenogloea 883 Hymenogramme 313

Hymenula 320 Hyperomyxa 321

Hyphoderma 320 Hypochanum 320

Hypochnus 314, 320, 717; solani 716

Hypocrea rufa 194 Hypolyssus 313, 320

Hypomyces 313; solani f. cucurbitae 450, 456

Hypospila 320 Hypsizygus 883

Hysterium elatinum 319

Hysterographium opuntiae 967

Inocybe 872, 882, 885; cutheles 881; hyperythra 871 Irpex flavus 617

Isaria 165; densa 728; farinosa 825 Isthmospora 473

Ithyphallus 313, 318

Jola javensis 68 Junghuhnia 313

Klastospora 572

Kneiffiella 559

Krempelhuberia 319; cadubriae 319 Kuchneromyces 882

Kusanoopsis 783; guianensis 783

Laccaria echinosperma 881; obiensis 868; tetraspora 868, 881, 885

Lachnea 298 Lachnella 299 Lachnocladium 320

Lactarius 872, 883; braunii 871; deliciosus 866; russula 871

Lactobacillus lactis 346, 348, 353

Lactocollybia 883, 886; angiospermarum 877

Lactiporus sulphureus 885 Langermannia 315

Laschia 313, 320

Leccinum nigrescens 866

Lentinus 883, 888; puiggarii 870; sayanus 871

Lepiota 882, 888, 889

Lepiotella brunnea 871 Lepista 882; diemii 885; glabella 869

Leptodiscus 552; terrestris 552

Leptoglossum 320 Leptonia 321

Leptosphaeria abtusispora 396, 397; verbae 408

Leptotus 320

Leucoagaricus lilacinus 869; rubrofibrillosa 871, 876

Leucocoprinus 883

Leucopaxillus patagonicus 882; bra-siliensis 871; gracillimus 871; rhodoleucus 882

Leucopus 313

Leucosporium 320

Lichen ericetorum 316

Limacella 883

Lindbladia effusa 927

Lophodermium versicolor 964 Lyophyllum 883

Lycogala epidendrum 927; exiguum 927; flavofuscum 927

Lycoperdon giganteum 315

Lyomyces 320

Macowania 320 Macowanites 320

Macrocystidia carneipes 870; occidentalis 870

Macrolepiota 883; bonaerensis 867. 868, 873, 885; kherandi 868; procera 867

Macrophoma 408

Macroplodia 314, 321

Malinvernia 321

Marasmiellus 869, 886, 888; byssisedus 870; caesivater 868; couleu 882; eburneus 876; fascicularis 870; fibula 882; niveus 870; micro-scopicus 870; subfumosus 870; subpumilus 870; tropicalis 870; vinosus 870; viridiluteus 870

Marasmius 315, 883, 886, 888; aciculactormis 877; albocapitatus 876; albogriseus 870, 873; ber-teroi 872; bromeliacearum 870; eburneus 876; echinatus 870; ferrugineus 876; haematocephalus 877; hymeniicephalus 870; iguazuensis 870; ilicis-macrodonti 870; isabellinus 870; leoninus 870, 877; magnificus 870, 876; neosessilis 870; pallipes 870, 877; pampicola 868, 873, 885; puttemansii 870; rhaberberinus 877; ruforotula 869; sanguirotalis 869; silvicola 869, 870; spegazzinii 876; spinosissimus 887; tageticolor 877; trichorhizus 870

Marsonia 313 Marssonia 313 Marssonina 313 Massaria 320 Mastomyces 320 Melampsora 48, 49, 53, 56, 58, 63, 70. 313; abieti-caprearum 71; albertensis 71; alliifragilis 71; allii-populina 71; allii-salicisalbae 71; alpina 71; amygdalinae 71; arctica 71; cathartici 71; epitea 84; evonymicaprearum 71; euphorbiae 71; euphorbiaedulcis 71; euphorbiae-gerardiana 71; euphorbiaesilvaticae 71; farlowii 71; helio-scopiae 71; hirculi 71; lapponum 71; larici-caprearum 71; lariciepitea 71; larici-pentandrae 71; larici-populina 71; larici-tremulae 71; lini 71; liniperda 71; magnusiana 71; medusae 71; orchidirepentis 71; pinitorqua 71; pul-cherrima 71; ribesii-epitea 71; ribesii-purpurea 71; ribesii-viminalis 71; rostrupi 71; vernalis 71

Melampsorella 49, 63 Melampsoridium 49, 63

Melanogaster 315; tuberiformus 315 Melanogone puccinioides 954, 956

Melanoleuca 882; balansae 870; cognata 882; evenosa 882; excissa 881; longispora 882; sparrei 873; spegazzinii 868; tucumanensis 873

Melanophyllum 883

Melanotus 883 Merulius 88, 89; americanus 89, 91, 97; brassicacíolius 94; domesticus 98; himantioides 94; lacrymans 88, 89, 95, 97; silvester 94, 98

Mesochytrium 279, 283 Mesopsora 49, 63, 577

Micromonospora 220, 221 Micromphale 315; rheicolor 877; venosum 315

Micromyces 276; longispinosus 278; mesocarpi 278; zygogonii 276, 277, 278

Micromycopsis 280, 281; cristata 280, 282; fischeri 280, 282; inter-281; cristata media 280; mirabilis 280; zygnaemicola 282

ficrosporum audouini 597, 628; canis 597; fulvum 627, 629, 631, Microsporum 632, 635, 636, 643; gypseum 249, 250, 252, 597, 601

Microsynchytrium 279, 283

Milesina 49, 63, 64 Monilia 320

Monoblepharella 592, 723; endogena 593

Monoblepharis 723, 726

Monogrammia 47.3 Monosporium apiospermum 947

Monotospora 320, 952; daleae 952, 954, 955; lanuginosa 961; nigra 954, 955; toruloides 952, 953

Montagnea 320 Montagnites 320 Morchella 885; esculenta 145 Mortierella vinacea 16 Mucor 9, 165, 166, 825, 826 Mucronella 943, 944 Mutinus 318, 320 Mycena 886, 888; jaffuelii 882; mi-cromphale 871; pura 868, 872, 881 Mycenastrum chilense 885; corium 885 Mycobacterium avium 165; phlei 165, 221; smegmatis 221; tuberculosis Mycobonia 319; flavida 878 Mycogone nigra 954 Mycoleptodon 320 Mycosphaerella 314 pritzelianum 783; miconiae 785; pritzelianum 782; purpurascens 785 Myriangium 783; Myriocephalum 321

Naematoloma myosotis 882 Naucoria 883 Nectria 621 Neopaxillus 883; echinospermus 870, 874 Nephrochytrium 434 Neurospora 194, 501, 503, 825; corallina 831; crassa 195, 832; sitophila 826, 827 Nidularia 313 Nigredo 317 Nocardia 220; asteroides 221, 597; corallina 221, 831; farcinica 221 Nolanea 321 Nothopanus 883 Nummularia 320

Mytilidion 320

Mytilinidion 320

Octaviania 313 Octavianina 313 Odontia 320, 943, 945 Oidium albicans 317 Oligonema flavidum 927; schweinitzii 927 Olpidiopsis 313, 314 Omphalia 888 defibulata 882; Omphalina 313; griseopallida 881; pyxidata 868; rustica 872 Oospora 165 Ophiobolus 566, 567 Ophiodothis vorax 588 Ophiostoma 320; piceae 579, 581, 586 Orobanches 319

fenii 878 Oxydontia 943, 944, 945 Pactilia 320 Panaeolus 319; phalaenarum 868; subbalteatus 868 Panellus 321, 886; longinquus 882 Panus 313, 315, 883, 888; crinitus 868, 870, 878; microspermus 870; rudis 878; siparius 868, 870, 878 Papularia 953 Parasaccharomyces 318; sambergeri 318 Parendomyces 318; albus 318 Passalora 366, 385, 387, 388; bacilligera 385, 387; fasciculata 388 Paxillus 313, 557, 883, 886; argentinus 868, 884; boletinoides 884; defibulatus 884 Pedilospora 472 Pellicularia 698; filamentosa 715; filamentosa f. sp. microsclerotia 716; filamentosa f. sp. sasakii 717; filamentosa f. sp. solani 716; filamentosa f. sp. timsii 717; koleroga 704 Penicillium sp. 16, 617, 690, 826; brevicaule 825; chrysogenum 596; cinerascens 173; corylophilum 619; expansum 848; glaucum 825; intri-catum 729; notatum 161, 165, 166, 848; roqueforti 848; spinulosum 173 Peniophora 320 Perichaena vermicularis 927 Peripherostoma 315 Perona 313 Pestalozzia 165 Pezicula 620 Peziotrichum lachnella 938, 939 Peziza 298, 313, 476, 620; coccinea 298; flava 318; fuckeliana 415, 416, 421, 422, 424; griseo-vitellina 299, 300; melastoma 298; rufo-olivacea 476; ruborum 300 Phaeangella 299, 300, 475; acerus 299; ulicis 475 Phaengium rubi 299 Phaeodon 560 Phaeogyroporus 884; tropicus 879, 885 Phaeomarasmius chiliotrichi

882; distans 882

Phialoconidiophora 693

Phaeomycena 883, 886; marospora

Phakopsora 573; hansfordii 577

Phallus 313; caninus 318, 319

Phellinus 313, 878; gilvus 869 Phellodon 560, 944

Oudemansiella canarii 868, 878; stef-

Phialophora 693; jeanselmei 253; verrucosa 166, 947 Phlebia 320 Phleogena 320 Phleospora 320 Phlogiotis 320 Phlyctidium 320 Pholiota 313; apiahyna 871; autumnalis 923, 924; pseudofascicularis

874 Pholiotella 318, 867, 889; blattariopsis 318

Pholiotina 318

Phoma 165, 313, 320, 405, 566, 567, 601; herbarum 319; 597, 600, pastula 319 Phragmidiella 577

Phragmidium 48, 54; articum 80 Phylacteriaceae 558

Phylacteria 559 Phylloboletellus 886; chloephorus 870

Phyllocarbon yasudai 555, 560 Phylloporus 557

Phyllostica 463, 597, 599, 600

Physalacria 883

Physarella oblonga 932 Physarum bethelii 933; bogoriense 932; cinereum 932; didermoides 932; globuliferum 932; mutabile 933; nutans 932; polycephalum 933; nutans 932; polycephalum 817, 932; pusillum 932; serpula 932; viride 932

Physisporus 313

Phytophthora infestans 825

Piedraia hortai 947

Pilacre 320

Pilobolus kleinii 8, 9, 10, 12, 13, 17, 18; longipes 18; roridus 18; umbonatus 18

Pisomyxa 313

Plectania 297; coccinea 297; melastoma 297

Pleocystidium 313

Pleospora 391, 562; abscondita 399, 410; allii 507, 569; antarctica 400; berberidis 404, 405; chrysospora 396; clavispora 401, 404; clementsii 398, 403; coluteicola 404, 405; comata 412; coronata 399, 407, 408, 409; cylindrospora 396; dichromatricha 398, 401, 403; dichromatricha var. dichromatricha 402; dichromatricha var. nigriseda **402**; dura 399, 405, 407, 409; **galii 392**; **galiorum** 392, **393**; herbarum 405, 566, 568; herbarum var. allii 566, 567; herbarum f. genistae 405, 406; herbarum f. halimodendri 404, 405; ilicis 404, **408**, 409; intermedia 399, 404; kansensis 397,

398, 400, 401; macrospora 568, 569, 570; media 403, 565; media var. acuta 406; niessleana 409, 410; nuda 568; oblongata 394, 396, 397, 398; oblongispora 394; oligotricha 405; orbicularis 399, 404, 405, 406; parvula 397, 398; pellita 391, 397; phaeocomes 565, 569; punctata 406; richtophensis 403, 406; scirpicola 570; setigera 407; tomentosa 406; trevoicola 399, 406; trichostoma 567, 569; typhaecola 570; vagans 391, 392, 398, 404, 405, 408, 409; vulgaris 396, 403, 565

Pleurage 321 Pleurocollybia 883 Pleurocybella 883

Pleuroflammula 883 Pleuropus 313, 316, 320; fornicatus

316 Pleurotus 316, 888; ostreatus 878;

rickii 870 Plowrightia 313

Pluteus atromarginatus 882; jaffuelii 882; viscidulus 869, 870; riograndensis 870; spegazzinianus 882, 885

Podoscypha 313 Podospora 321 Polioma 134 Polychaeton 320 Polycystis 319 Polyozelleae 560

Polyozellus 555, 556, 559, 560; multiplex 555

Polyporus berkeleyi 144, 622; sulphureus 165; tricholoma 878

Polystictus 320

Poria 313; incra-sata 88, 89, 94, 97

Porodisculus 314 Poromycena 557, 886

Porpoloma 882

Pratella 313

Prospodium appendiculatum elegans 443; transformans 437

Proteus vulgaris 16 Protohydnum 557 Protomerulius 557

Psalliota 313

Psathyra 314

Pseudocoprinus 776, 777, 779

Pseudodiscosia 555

Pseudofarinaceous 314

Pseudofavolus cucullatus 878

Pseudographis 319

Pseudohydnum 321, 943

Pseudolachnea 551

Pseudolpidium 314

Pseudomonas fluorescens 165 Pseudomonilia albomarginata 318

Psilocybe 908; coprophila 793; uda Pterophyllus 316; bovei 316 Pterula 314 Puccinia 76, 115, 313, 314; aenigmatica 116, 129; albicera 116; andicola 131; arenariae 81; astricta 116; ballotaeflorae 133; bistortae 80; bithynica 118; blyttiana 81; caricis 80; conspersa 116; conspersa var. parmensis 124; conturbata 116; drabae 81; eutremae 81; farinacea 116; gentilis 128; gilliesii 116, 118; griseola 134; heucherae 81; hieracii 80; holboellii 81; impedita 116; malvacearum 443; mertensiae 81; millefolii 81; mitoensis 116, 129; mitrata 128; obscura 80; ondemansii 81; pazschkei 81; poaesudeticae 79; porphyretica 116, 129; praegracilis 79; praegracilis var. connersii 78; prospera 134; pulsatillae 81; ranunculi 81; roesteliiformis 115, 116; rubigo-vera 78; sana 116; saxifragae-tricuspidatae 81; soledadensis 116; sorghi 79; sphacelicola 116; striatifera 116, 132; uliginosa 122 Pucciniastrum 49, 63 Pucciniola 317; diadelphiae 317 Pucciniostele 572; clarkiana 572; hashiokai 572; mandschurica 572: philippinensis 572, 573, 574, 576 Pullularia 165; jeanselmei 258 Pycnochytrium 283 Pycnoporus sanguineus 868 Pyrenophora 562; alternaria 697; dichromatricha 402; inclusa 562; paradoxa 562; phaeocomes 569; secalis 697; sedi 396 Pyrrhoglossum 883 Pythium 165

Raddetes 318; turkestanicus 318 Radulum 943, 945 Ramaria 320 Ramularia 320 Raphanazon 314 Resupinatus 316, 886; subrhacodium 870 Reticularia lycoperdon 927 Rhabdospora 319, 320 Rhacophyllus 888 Rhipidium 313, 319, 321; interruptum 319 Rhizidiomyces 435 Rhizoctonia 319, 698; dimorpha 705; microsclerotia 698 Rhizopodella 297, 298; melastoma Rhizopogon roseolus 975
Rhizopus 826; nigricans
500, 629; solani 698; suinus 497
Rhodocybe claudopus 873; gilvoides
871; himantiigena 870
Rhodophyllus 321, 889; argentinus
871; squamifolius 878
Rhymovis 313
Ricnophora 320
Ripartitella 883; brasiliensis 871
Roestelia 313
Russula 882; puiggarii 871, 876;
riograndensis 871
Ruthea 313
Ryssospora 313
Saccharomyces cerevisiae 16, 21, 25,

37, 165, 166, 627, 629, 631, 635, 826, 832; fragilis 16; pyriformis 16 Saksenaea 433, 434, 435; vasifor-mis 433, 434, 435, 978 Sarcina lutea 16 Sarcodon 556, 557, 559, 560; aspratus Sarcoscypha 297; coccinea 297, 298. 302; coccinea var. jurana 297, 302 Sarcoscyphae 298 Sarca 321 Scenidium 313 Schizophyllum commune 868, 869, 878, 881 Schizothecium 321 Schweinitzia 299, 300 Scleroplea 568 Scleroplea cliviae 568 Sclerospora 463 Sclerotinia fructicola 329; fuckeliana 422 Sclerotium 566; bifrons 563; inclusa 563; rolfsii 165 Scolecotrichum euphorbiae 388; fasciculatum 388 Scopulariopsis brevicaulis 627, 631, 632, 635 Secotium 314 Selenophoma bromigena 260; donacis 260; everhartii 260; obtusa 260 Sepedonium 472 Septobasidium 316; velutinum 316 Septoglocum acaciae 365, 385 Septoria 320, 321; oleandri 319 Serratia marcescens 165 Simblum sphaerocephalum 869

Septoria 320, 321; oleandri 319 Serratia marcescens 165 Simblum sphaerocephalum 869 Smithiomyces 883 Sordaria 321 Sorospora 56, 61, 62, 65 Speggazzinia 473 Speggazzinia 321 Speira 473 Sphaerella 314 Sphaeria 312; allii 570; capillata 565; concentrica 315; herbarum 566; herbarum var. tecta 566; phaeocomes 563, 564, 565, 569; phaeocomoides 564; scirpicola 567; typharum 567

Sphaeropsis 314, 315, 317, 321, 406; conica 317

Spicaria 165, 739 Splanchnonema 320 Sporocadus 320

Sporotrichum densum 728; flavicans 729; globuliferum 728; purpureum 730; schenkii 166, 597

Stagonospora 316

Staphylococcus aureus 16, 156, 165

Steccherinum 941, 943, 944, 945 Stemonitis axifera 932; carolinensis 932; confluens 932; fusca 932; hyperopta 932; nigrescens 932; splendens 932; virginiensis 932; webberi 932

Stemphylium 165

Stereum 313, 314; pallidum 559 Sterigmatocystis nidulans 671; nigra 826

Stigmatea 321

Stigmea 321

Stigmina 366; verruculosa 373, 375 Streptomyces 332, 333, 334; albus 221; aureofaciens 16, 221; biki-niensis 221; carneus 221; coeli-color 507; flavus 221; fradiae 156, 165, 221; griseocarneus 221; griseolus 221; griseolus 221; griseus 156, 157, 158, 170, 209, 210, 345, 481, 507, 509; hygroscopicus 221; olivaceus 221, 222; olivochromogenus 221; ramosus 221; rimosus 16; roseochromogenus 221; scabies 221; sulphureus 221; venezuelae 221, 507; viridis 221

Strickeria 321 Strilia 320

Stromatinia gladioli 418

Stromatosphaeria 315 Stropharia 867; semiglobata 868

Stysanus 165 Suillus 866 Syncephalis 433

Synchytrium 101, 276; aecidioides 284; aequatoriensis 284; akshaiberi 292; alpinum 285; amsinckae 284; anemones 285; anomalum 285; asterum 106; atylosiae 284; auranticum 285; aureum 114, 285; australe 284; bignoniae 109; callicarpae 110; cardiospermi 108; carpini 109; cellulare 284; cerastii 103; chamaedryoidis 976, 977; citrinum 284; clematidis 109;

cocculi 106; cookii 291; corni 104; cotulae 283, 285; crotulariae 284; dolichi 284; duchesneae 104; en-dobioticum 277, 278, 284; erechti-tis 109; fraxini 112; fulgens 279; fuscus 285; geranii 289; globosum 114, 285; ganolobi 108; ilicicola 108; laevis 279, 285; lateum 285; linderniae 284; liquidambaris 108; longispinosus 279, 285; media 103; meliloti 292; mercurialis 285; minutum 284; mitchellae 112; musicola 285; myosotidis 285; ovalis 279, 280, 281, 285; papillatum 284; petersenii 279, 285; phaseoli 284; pilificum 285; parthenocissi 103; polygoni 110; potentillae 285; pul-verum 282; punctum 285; puspho-carpis 284; pyriforme 285; rubro-cinctum 285; sanguineum 284; saxifragae 277; scirpi 285; spiro-gyrae 279, 285; stellarae 103, 284; succisae 284; taraxaci 284; tecomae 110; trachelospermi 112; trichophilum 284; uliginicola 284; ulmariae 285; ulmi 114; urticae 613; valeriannelae 284; vignicola 284; violae 114; vulcanicum 284; zygogonii 279, 285

Syrinogospora 317

Tapesia 298; grisco-vitellina 299, 300; ruborum 298; retincola 298

Tapesina 298, 476 Taphrina 649; aesculi 665; americana 650, 658, 665, 666, 669; betulina 650, 658, 667; caerulescens 650, 651, 656, 658, 659, 660, 665, 666, 669; californica 665; carnea 651, 660, 665; cerasi 651, 657, 660, 667; communis 651, 654, 657, 661, 666, 667, 668; confusa 651, 661, 662, 668, 669; dearnessii 651, 662, 668; decipiens 651; deformans 651, 654, 656, 657, 662, 667; epiphylla 651, 656, 662, 668; farlowii 651, 656, 662, 668; flavorubra 651, 662, 666; johansonii 651, 656, 662; klebalmi 668; lapponica 658, 667; letifera 651, 663, 668; mirabilis 651; mirabilis var. tortilis 651; nana 651, 663, 665, 666, 669; polystichi 651, 656, 663; populina 651, 652, 656, 663, 669; populi-salicis 652, 663, 668, 669; potentillae 652, 656, 663, 668; subcordatae 652, 664, 669; purpurascens 652, 664, 666; robinsoniana 652, 657, 664, 667; sacchari 652, 657, 664, 668; sadebeckii 652, 664, 667, 669; thomasii 665; tosquinetii 652, 657, 664; turgida 658;

ulmi 652, 657, 664, 666, 668, 669; virginica 652, 665 Teichospora 321, 409 Telamonia 314 Termitomyces 889 Thaxterogaster 881, 883, 886; maghellanicus 882; violaceus 882 Thecopsora 49, 63 Thelephora 556, 557, 558, 559; amorpha 315; ferruginea 316; pal-

lida 559; pedicellata 316; terrestris 559, 560

Thyronectria 621 Thyrsidium 321 Tilletiopsis 44 Titaea 473

Tomentella 314, 316, 559, 943 Topospora 320

Torula bergeri 253; jeanselmei 258 Torulopsis 649; colliculosa 652, 665; dattila 652, 658, 665, 669, 670; kefyr 652; pulcherrima 650; rotundata 650, 653, 665; sphaerica 653, 665, 669; utilis 16, 826

Trematostoma 321 Tremella 314 Tremellodon 321, 557, 943

Trichia erecta 927; varia 927 Trichoderma 161, 165

Tricholoma 321, 476, 882; elatinoides 476; flavovirens 866

Tricholomopsis 877, 883; araucariae

Trichophyton gypseum 166; mentagrophytes 166, 475, 597, 601, 628; purpureum 628; rubrum 475, 628; sulfureum 597; tonsurans 597 Trichosporium 314, 321, 693

Tritirachium album 729; dependens 729, 730, 731, 743; roseum 730

Trogia 883; cantharelloides 870 Tromera 321

Tubaria gregoriana 882; omphaliopsis 868

Tubariopsis 887 Tubercularia 316; nigra 786; vulgaris 316 Tubifera ferruginosa 927 Tuburcinia 319 Tympanis 619

Uleomyces 783; guianensis 783; pritzelianum 783; purpurascens 785

Uredinopsis 47, 48, 49, 63, 64 Uredo 313; appendiculata 317; betae 317; impedita 133 Urocystis 319 Uromyces 48, 617; armeriae 80; lapponicus 80; phacae-frigidae 81; violacea 520 Ustilago zeae 16, 165, 516

Vaginata 317; livida 317 Velutaria 296; grisco-vitellina 299, 300, 475, 476; rufo-olivacea 298, 299, 300, 475

Velutarina 476: rufo-olivacea 476 Venturia 314 Versipellis 314 Verticillium 165; albo-atrum 326, 329 Visculus 313 Volvaria 314, 321 Volvariella 885; cnemidophora 868

Whetzeliomyces niger 785, 786 Whitfordia 878; elegans 868 Woroninella 283

Xerocomus 314; brasiliensis 871 Xeromphalina 886; campanella 872; helbergeri 872

Xerula chrysopepla 868; pilosa 870 Xylaria 836; acuta 839; carpophila 836; cornu-damae 839; cornuta 845; oxyacanthae 836; polymorpha 839